

```
* Encoding: UTF-8.
*Include only those in our 3 cohort groups.
USE ALL.
COMPUTE filter_$=(Cohort_Group = 1 | Cohort_Group = 2 | Cohort_Group = 3).
VARIABLE LABELS filter_$ 'Cohort_Group = 1 | Cohort_Group = 2 | Cohort_Group = 3 (FILTER)'.
VALUE LABELS filter_$ 0 'Not Selected' 1 'Selected'.
FORMATS filter_$ (f1.0).
FILTER BY filter_$.
EXECUTE.

FREQUENCIES VARIABLES=Gender2
  /ORDER=ANALYSIS.
```

Frequencies

Notes		
Output Created		28-JUN-2022 14:47:12
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 Cohort_Group = 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	28917
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Gender2 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.16
	Elapsed Time	00:00:00.12

Statistics

Gender2		
N	Valid	28916
	Missing	1

Gender2					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	10656	36.9	36.9	36.9
	Female	18260	63.1	63.1	100.0
	Total	28916	100.0	100.0	
Missing	System	1	.0		
Total		28917	100.0		

FREQUENCIES VARIABLES=Age_at_ref3
/ORDER=ANALYSIS.

Frequencies

Notes		
Output Created		28-JUN-2022 14:47:12
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 Cohort_Group = 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	
	28917	

Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Age_at_ref3 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.09
	Elapsed Time	00:00:00.12

Statistics

Age_at_ref3		
N	Valid	28595
	Missing	322

Age_at_ref3					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	16-44	7589	26.2	26.5	26.5
	45-59	7790	26.9	27.2	53.8
	60+	13216	45.7	46.2	100.0
	Total	28595	98.9	100.0	
Missing	Missing	322	1.1		
Total		28917	100.0		

FREQUENCIES VARIABLES=IMD_Quintile
/ORDER=ANALYSIS.

Frequencies

Notes	
Output Created	28-JUN-2022 14:47:12

Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analysis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 Cohort_Group = 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	28917
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=IMD_Quintile /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.13
	Elapsed Time	00:00:00.11

Statistics

IMD_Quintile		
N	Valid	28167
	Missing	750

IMD_Quintile					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	5512	19.1	19.6	19.6
	2.00	5818	20.1	20.7	40.2
	3.00	5997	20.7	21.3	61.5
	4.00	5956	20.6	21.1	82.7
	5.00	4884	16.9	17.3	100.0
	Total	28167	97.4	100.0	
Missing	System	750	2.6		
Total		28917	100.0		

FREQUENCIES VARIABLES=LHB2
/ORDER=ANALYSIS.

Frequencies

Notes		
Output Created		28-JUN-2022 14:47:12
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 Cohort_Group = 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	28917
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=LHB2 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.13
	Elapsed Time	00:00:00.13

Statistics

LHB2		
N	Valid	28917
	Missing	0

LHB2					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Powys	1206	4.2	4.2	4.2
	Swansea BayUHB	2392	8.3	8.3	12.4
	Aneurin Bevan	4973	17.2	17.2	29.6
	Cardiff and the Vale	4023	13.9	13.9	43.6
	Cwm Taf	4151	14.4	14.4	57.9
	Hywel Dda	3385	11.7	11.7	69.6
	Betsi Cadwallader	8787	30.4	30.4	100.0
	Total	28917	100.0	100.0	

FREQUENCIES VARIABLES=Pathways_5
/ORDER=ANALYSIS.

Frequencies

Notes		
Output Created		28-JUN-2022 14:47:12
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 Cohort_Group = 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	28917
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

Cases Used		Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Pathways_5 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.13
	Elapsed Time	00:00:00.12

Statistics

Pathways_5		
N	Valid	28917
	Missing	0

Pathways_5					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Generic	16361	56.6	56.6	56.6
	Level 4	4840	16.7	16.7	73.3
	Back care	1069	3.7	3.7	77.0
	Mental Health	2189	7.6	7.6	84.6
	Weight management	4458	15.4	15.4	100.0
	Total	28917	100.0	100.0	

FREQUENCIES VARIABLES=ref_recode2
/ORDER=ANALYSIS.

Frequencies

Notes	
Output Created	28-JUN-2022 14:47:13
Comments	

Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 Cohort_Group = 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	28917
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=ref_recode2 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.11
	Elapsed Time	00:00:00.12

Statistics

ref_recode2		
N	Valid	28916
	Missing	1

		ref_recode2			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	GP	11368	39.3	39.3	39.3
	Physiotherapist	9417	32.6	32.6	71.9
	Practice nurse	3510	12.1	12.1	84.0
	Other	4621	16.0	16.0	100.0
	Total	28916	100.0	100.0	
Missing	System	1	.0		
Total		28917	100.0		

DESCRIPTIVES VARIABLES=Age_at_ref2

/STATISTICS=MEAN STDDEV MIN MAX.

Descriptives

Notes		
Output Created		28-JUN-2022 14:47:13
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 Cohort_Group = 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	28917
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=Age_at_ref2 /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.12

Descriptive Statistics					
	N	Minimum	Maximum	Mean	Std. Deviation
Age_at_ref2	28595	16.00	100.00	55.7865	17.22793
Valid N (listwise)	28595				

USE ALL.
COMPUTE filter_\$=(Cohort_Group = 1 | Cohort_Group = 2).

```
VARIABLE LABELS filter_$ 'Cohort_Group = 1 | Cohort_Group = 2 (FILTER)'.
VALUE LABELS filter_$ 0 'Not Selected' 1 'Selected'.
FORMATS filter_$ (f1.0).
FILTER BY filter_$.
EXECUTE.

FREQUENCIES VARIABLES=Gender2
  /ORDER=ANALYSIS.
```

Frequencies

Notes		
Output Created		28-JUN-2022 14:57:56
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	26918
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Gender2 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.13

Statistics

Gender2		
N	Valid	26918

Missing	0
---------	---

Gender2					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	9938	36.9	36.9	36.9
	Female	16980	63.1	63.1	100.0
	Total	26918	100.0	100.0	

FREQUENCIES VARIABLES=Age_at_ref3
/ORDER=ANALYSIS.

Frequencies

Notes		
Output Created		28-JUN-2022 14:57:56
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	26918
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Age_at_ref3 /ORDER=ANALYSIS.

Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.14

Statistics

Age_at_ref3		
N	Valid	26606
	Missing	312

Age_at_ref3					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	16-44	7057	26.2	26.5	26.5
	45-59	7300	27.1	27.4	54.0
	60+	12249	45.5	46.0	100.0
	Total	26606	98.8	100.0	
Missing	Missing	312	1.2		
Total		26918	100.0		

FREQUENCIES VARIABLES=IMD_Quintile
/ORDER=ANALYSIS.

Frequencies

Notes		
Output Created		28-JUN-2022 14:57:56
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analysis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1

	Filter	Cohort_Group = 1 Cohort_Group = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	26918
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=IMD_Quintile /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.15

Statistics

IMD_Quintile		
N	Valid	26235
	Missing	683

IMD_Quintile					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	5161	19.2	19.7	19.7
	2.00	5455	20.3	20.8	40.5
	3.00	5558	20.6	21.2	61.7
	4.00	5507	20.5	21.0	82.6
	5.00	4554	16.9	17.4	100.0
	Total	26235	97.5	100.0	
Missing	System	683	2.5		
Total		26918	100.0		

FREQUENCIES VARIABLES=LHB2
/ORDER=ANALYSIS.

Frequencies

Notes		
Output Created		28-JUN-2022 14:57:56
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	26918
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=LHB2 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.14

Statistics

LHB2		
N	Valid	26918
	Missing	0

LHB2					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Powys	1024	3.8	3.8	3.8

	Swansea BayUHB	2223	8.3	8.3	12.1
	Aneurin Bevan	4649	17.3	17.3	29.3
	Cardiff and the Vale	3695	13.7	13.7	43.1
	Cwm Taf	3919	14.6	14.6	57.6
	Hywel Dda	3205	11.9	11.9	69.5
	Betsi Cadwallader	8203	30.5	30.5	100.0
	Total	26918	100.0	100.0	

FREQUENCIES VARIABLES=Pathways_5
/ORDER=ANALYSIS.

Frequencies

Notes		
Output Created		28-JUN-2022 14:57:56
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	26918
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Pathways_5 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.14

Elapsed Time	00:00:00.14
--------------	-------------

Statistics

Pathways_5		
N	Valid	26918
	Missing	0

Pathways_5					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Generic	15326	56.9	56.9	56.9
	Level 4	4536	16.9	16.9	73.8
	Back care	1003	3.7	3.7	77.5
	Mental Health	2046	7.6	7.6	85.1
	Weight management	4007	14.9	14.9	100.0
	Total	26918	100.0	100.0	

FREQUENCIES VARIABLES=ref_recode2
/ORDER=ANALYSIS.

Frequencies

Notes		
Output Created		28-JUN-2022 14:57:56
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 (FILTER)

	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	26918
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=ref_recode2 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.14

Statistics

ref_recode2		
N	Valid	26917
	Missing	1

		ref_recode2			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	GP	10380	38.6	38.6	38.6
	Physiotherapist	8968	33.3	33.3	71.9
	Practice nurse	3249	12.1	12.1	84.0
	Other	4320	16.0	16.0	100.0
	Total	26917	100.0	100.0	
Missing	System	1	.0		
Total		26918	100.0		

DESCRIPTIVES VARIABLES=Age_at_ref2
/STATISTICS=MEAN STDDEV MIN MAX.

Descriptives

Notes		
Output Created		28-JUN-2022 14:57:56
Comments		
Input	Data	S:\Quant\data cleaning\V2\KN\V3\Analysis\Analy sis 27.06.2022\NERS_NS.sav
	Active Dataset	DataSet1
	Filter	Cohort_Group = 1 Cohort_Group = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	26918
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=Age_at_ref2 /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.14

Descriptive Statistics					
	N	Minimum	Maximum	Mean	Std. Deviation
Age_at_ref2	26606	16.00	100.00	55.6900	17.13010
Valid N (listwise)	26606				